

Series 950N Fixed Lite
 Typical Exterior Elevation
 (Optional Muntin Shown, Muntin Configuration and
 Glazing Type Optional)

950N Fixed Lite -- Subframe Installation

DWN BY
 JDD
 CK'D BY



P.O. Box 278, 701 Centennial Road
 Wayne, NE 68787

TOLERANCE:
 1. FRACTIONS $\pm 1/16$
 2. DECIMALS $\pm .0625$
 3. ANGLES $\pm 1/2$ DEGREE
 EXCEPT AS NOTED


DATE

MAT'L

SCALE 1:8

PAGE

DWG No.



Series 950N Fixed Lite Typical Jamb Section

Jamb- Subframe Installation Kit

DWN BY
JDD
CK'D BY

DATE



P.O. Box 278, 701 Centennial Road
Wayne, NE 68787


TOLERANCE:

1. FRACTIONS $\pm 1/16$
 2. DECIMALS $\pm .0625$
 3. ANGLES $\pm 1/2$ DEGREE
- EXCEPT AS NOTED

MAT'L

SCALE
1:1.5

PAGE DWG No.



Series 950N Fixed Lite
Typical Head/Sill Section
(With Optional Muntin)

Head/Sill -- Subframe Installation

DWN BY
JDD
CK'D BY

DATE

SCALE
1:1.5



P.O. Box 278, 701 Centennial Road
 Wayne, NE 68787

PAGE DWG No.

TOLERANCE:	
1. FRACTIONS ±1/16	
2. DECIMALS ±.0625	
3. ANGLES ± 1/2 DEGREE	
EXCEPT AS NOTED	
MAT'L	