




Typical Exterior Elevation
Fyre-Tec Series 975N Awning Window




Mulled with Zero Vertical Mullions



Internal 5/8" Grids
In IGU



Mulled with Zero Horizontal Mullion



Mulled with Series
950N Transom


TOLERANCE:
1. FRACTIONS $\pm 1/16$
2. DECIMALS $\pm .0625$
3. ANGLES $\pm 1/2$ DEGREE
EXCEPT AS NOTED
MAT'L

975N Awning/Projected

DWN BY
JDD
CK'D BY


DATE
11-30-2015

SCALE
1:8



P.O. Box 278, 701 Centennial Road
Wayne, NE 68787

PAGE 1/3
DWG No. MODEL 975N



HEAD/SILL-SUBFRAME

DWN BY
JDD
CK'D BY

DATE
11-30-2015

SCALE
1:1.5



P.O. Box 278, 701 Centennial Road
Wayne, NE 68787

DWG No. MODEL 975N


TOLERANCE:

1. FRACTIONS $\pm 1/16$
2. DECIMALS $\pm .0625$
3. ANGLES $\pm 1/2$ DEGREE

EXCEPT AS NOTED

MAT'L

PAGE
2/3



JAMB - SUBFRAME INSTALLATION KIT

DWN BY	JDD
CK'D BY	
DATE	11-30-2015
SCALE	1:1.5

TOLERANCE:
1. FRACTIONS $\pm 1/16$
2. DECIMALS $\pm .0625$
3. ANGLES $\pm 1/2$ DEGREE
EXCEPT AS NOTED



P.O. Box 278, 701 Centennial Road
Wayne, NE 68787